CONTENTS OF VOLUME 84

NUMBER 1—JANUARY 1995

The corresponding states principle for radial distribution functions of homonuclear diatomic liquids
By A. DE SANTIS, A. GREGORI and D. ROCCA 1

Nuclear spin relaxation in chloroform dissolved in a nematic phase: spectral densities at high frequencies
By L. DI BARI, L. MÄLER and J. KOWALEWSKI 31

Comment on 'Near critical phase behaviour of dilute mixtures'
By A. A. CHIALVO and P. T. CUMMINGS 41

A Monte Carlo study of the condensed phases of biphenyl
By A. CHAKRABARTI, S. YASHONATH and C. N. R. RAO 49

***N*-Particle configurational integrals of model fluid–micropore systems**
By R. D. KAMINSKY 69

Analytical solution of the Ornstein–Zernike equation for mixtures
By YIPING TANG and B. C.-Y. LU 89

Non-additive forces in atomic clusters. The case of Ag_n
By I. G. KAPLAN, R. SANTAMARIA and O. NOVARO 105

Identification of 1, 2 and 3 body Raman scattering by the field gradient induced dipole A tensor in methane
By F. G. BAGLIN, E. J. ROSE and S. SWEITZER 115

Microscopic theoretical determination of the phase diagram of the hard core Yukawa fluid
By C. CACCAMO, G. GIUNTA and G. MALESCIO 125

The electric field gradient at the ^{9}Be nucleus in BeC
By A. C. BORIN, F. R. ORNELLAS and L. T. UENO 133

Water proton relaxation studies of pore microstructure in monodisperse glass bead beds
By B. P. HILLS and J. E. M. SNAAR 141

Energy transfer between two mobile chromophores in a zero energy transfer configuration. Cross-correlation effects in the fluorescence anisotropy $r(t)$
By I. I. FEDCHENIA and P.-O. WESTLUND 159

Capillary interface potential and interfacial fluctuations
By A. KOROCIŃSKI and M. NAPIÓRKOWSKI 171

Calculating nuclear quadrupole coupling constants for van der Waals complexes
By J. M. HUTSON 185

Fourier-transform infrared and jet-cooled diode-laser spectra of the 867 cm^{-1} ν_9 band of acetaldehyde
By A. M. ANDREWS, M. YU. TRETYAKOV, B. H. PATE, G. T. FRASER and I. KLEINER ... 201

Research Note

Effective interactions in colloidal dispersions stabilized by free polymers
By G. C. BARKER, M. J. GRIMSON and M. SILBERT 211

NUMBER 2—10 FEBRUARY 1995

Monte Carlo simulation of liquid acetone with a polarizable molecular model
By P. JEDLOVSZKY and G. PÁLINKÁS 217

Generalized collective modes for the Lennard-Jones fluid
By I. M. MRYGLOD, I. P. OMELYAN and M. V. TOKARCHUK 235

CONTENTS OF VOLUME 84

Non-equilibrium molecular and Brownian dynamics simulations of shear thinning of inverse power fluids
By D. M. HEYES and P. J. MITCHELL 261

High resolution FTIR spectrum of vinyl fluoride near 9 μm: rovibrational analysis of the ν_7 band
By P. STOPPA, S. GIORGIANNI, A. GAMBI, A. DE LORENZI and S. GHERSETTI 281

Rovibrational energy levels and transitions for H_3^+ computed from a new highly accurate potential energy surface
By R. JAQUET and R. RÖHSE 291

Stability of fluids with more than two components. II. Demixing ternary mixtures of non-additive hard spheres
By D. GAZZILLO 303

The solvation of cations in hydrogen-bonded molecular solvents: a neutron diffraction study on the structure of Ni^{2+} solutions in ethylene glycol and in glycerol
By S. E. OKAN, P. S. SALMON, D. C. CHAMPENEY and I. PETRI 325

Molecular dynamics simulation of a needle–sphere binary mixture
By K. RAGHAVAN 345

New exact relations for the many-cavity distribution function of non-uniform hard-sphere systems
By C. RASCÓN, G. NAVASCUÉS and L. MEDEROS 373

Vapour–liquid equilibria of two-centre Lennard-Jones fluids from the *NpT* plus test particle method
By C. KRIEBEL, A. MÜLLER, J. WINKELMANN and J. FISCHER 381

Binary hard-sphere mixtures: a comparison between computer simulation and experiment
By M. D. ELDRIDGE, P. A. MADDEN, P. N. PUSEY and P. BARTLETT 395

The hard tetrahedron fluid: a model for the structure of water?
By J. KOLAFA and I. NEZBEDA 421

Packing effects on the conformational equilibrium of alkanes
By P. PADILLA and C. VEGA 435

NUMBER 3—20 FEBRUARY 1995

Appreciation to Brian Howard 451

Theoretical studies of IR–UV sum frequency generation applied to adsorbed molecules
By S. H. LIN, M. HAYASHI, C. H. LIN, J. YU, A. A. VILLAEYS and G. Y. C. WU 453

***Ab initio* study of the structure of guanine–cytosine base pair conformers in gas phase and polar solvents**
By J. FLORIÁN, J. LESZCZYŃSKI and S. SCHEINER 469

Quantum calculations of transport and relaxation properties for the helium–methane system
By F. A. GIANTURCO 481

Magnetic angle selection in rhombic metal complexes and nitroxide radicals. EPR spectra as three-dimensional energy surfaces
By B. KIM, S. P. GREINER and R. W. KRELICK 511

Charge separation/recombination reactions in non-polar fluids: a molecular description
By D. V. MATYUSHOV and R. SCHMID 533

Quantum mechanical calculation of generalized collision cross-sections for the He–N_2 interaction. Part II. Thermomagnetic effect
By V. VESOVIC, W. A. WAKEHAM, A. S. DICKINSON, F. R. W. MCCOURT and M. THACHUK 553

A general pressure tensor calculation for molecular dynamics simulations
By D. BROWN and S. NEYERTZ 577

A *p*-spin high-pass filter using radiofrequency field gradients for homonuclear magnetic resonance experiments
By D. CANET, P. MUTZENHARDT and J. BRONDEAU 597

On the spin–orbit induced radiationless decay of the $b^3\Sigma^-$ state of BH
By L. A. PEDERSON and D. R. YARKONY 611

CONTENTS OF VOLUME 84

A theoretical study of the rovibronic spectra of CNO, NCO and CON
By B. J. Persson, B. O. Roos and S. Carter 619

Nuclear spin–rotation interaction and non-Abelian gauge potential
By Yu. A. Serebrennikov and U. E. Steiner 627

NUMBER 4—MARCH 1995

On the convergence rate of a cusp-corrected damped multipole expansion for the second-order H–H$^+$ induction energy
By G. Figari, A. Siciliano, C. Costa and V. Magnasco 633

Rayleigh wing and Fourier transform infrared studies of intermolecular and intramolecular hydrogen bonds in liquid ethylene glycol
By V. Crupi, M. P. Jannelli, S. Magazù, G. Maisano, D. Majolino, P. Migliardo and D. Sirna 645

Numerical solution of the optimized random phase approximation
By G. Pastore, F. Matthews, O. Akinlade and Z. Badirkhan 653

Structure and ionization potentials of clusters containing heavy elements. Part 3: Mixed clusters of alkali and group V elements
By G. Igel-Mann and H. Stoll 663

Structure and ionization potentials of clusters containing heavy elements. Part 4: Mixed clusters of alkali and group VI elements
By G. Igel-Mann, R. Schlunk and H. Stoll 679

Quantum chemical predictions of the electron affinities of carbon–hydrogen clusters $C_{2n}H^*$, the CH binding energies and the gas phase acidities of polyacetylenes $C_{2n}H_2$ for $n = 1$–3
By J. Natterer and W. Koch 691

Variational determination of the zero-flux surfaces of atoms in molecules
By J. Cioslowski and B. B. Stefanov 707

A coupled-cluster study of the molecular structure, vibrational spectrum and relative energies of the XCN and XNC (X = F, Cl) isomers
By T. J. Lee and S. C. Racine 717

Molecular dynamics study of the plastic–crystalline phase transition of tetraphosphorus triselenide
By A. Sergi, M. Ferrario, S. R. Elliott and I. R. McDonald 727

A fast method of solving the hypernetted-chain equation for molecular Lennard-Jones fluids
By J. A. Anta, E. Lomba, C. Martín, M. Lombardero and F. Lado 743

Can the 'van der Waals loop' vanish? II. Effect of domain size
By R. Yamamoto, O. Kitao and K. Nakanishi 757

A far infrared study of water diluted in hydrophobic solvents
By T. Tassaing, Y. Danten, M. Besnard, E. Zoidis, J. Yarwood, Y. Guissani and B. Guillot 769

Polarizabilities of anions in anisotropic environments. The fluoride ion in the perovskite lattices $NaMgF_3$, $KMgF_3$ and $KCaF_3$
By P. W. Fowler, F. Ding and R. W. Munn 787

The structure of a hard sphere fluid restricted by permeable walls
By P. Marsh, G. Rickayzen and M. Calleja 799

Erratum

Formulae for the first and second derivatives of anisotropic potentials with respect to geometrical parameters
By P. L. A. Popelier and A. J. Stone 811

NUMBER 5—10 APRIL 1995

One-centre multipole calculation of second-order perturbation energies for H_2^+
By V. Magnasco, G. Figari, A. Siciliano and M. Rui 813

CONTENTS OF VOLUME 84

Liquid–liquid phase transitions in pores
By W. T. Góźdź, K. E. Gubbins and A. Z. Panagiotopoulos 825

Analytical solutions for spin 7/2 line intensities in solid state NMR
By S. Z. Ageev and B. C. Sanctuary 835

Fourier path integral simulations of *para*-H_2 and *ortho*-D_2 clusters
By C. Chakravarty 845

Rovibrational Hamiltonian for molecular complexes
By J. Makarewicz and A. Bauder 853

A systematic model potential for Li^+–H_2O
By R. J. Wheatley and J. M. Hutson 879

The non-additive exchange energies of H_3 and He_3
By R. J. Wheatley 899

External magnetic field acceleration of radiationless processes in the $\tilde{A}$ state of gaseous oxalyl fluoride
By V. I. Makarov, Haruo Abe and Hisaharu Hayashi 911

Reversion of magnetic field effects under large magnetic fields observed in the photochemical hydrogen abstraction reactions of fluorinated acetophenone and benzophenone in micellar solutions
By Masatoshi Igarashi, Qing-Xiang Meng, Yoshio Sakaguchi and Hisaharu Hayashi 943

Quasiclassical trajectory study of the Li + Cs_2 reaction
By V. M. F. Morais and A. J. C. Varandas 957

Quantum calculations of multistructure cross-sections for the Ca(4s5p, $^3P_2 \leftarrow {}^1P_1$) + He collisional process
By E. Paul-Kwiek and T. Orlikowski 971

Interference of heavy-atom with magnetic spin effects in spin-correlated micellar radical pairs
By Jie Qiang Wu, D. Baumann and U. E. Steiner 981

RF-driven and proton-driven NMR polarization transfer for investigating local order. An application to solid polymers
By P. Robyr, M. Tomaselli, J. Straka, C. Grob-Pisano, U. W. Suter, B. H. Meier and R. R. Ernst 995

High pressure NMR study of methyl group tunnelling in dimethyl sulphide
By P. J. McDonald and M. Pinter-Krainer 1021

Theory of an excess electron in fluid helium. The effect of non-pairwise additivity of the solvent-induced interactions
By Jun Wang and A. D. J. Haymet 1033

Research Note

Influence of surface and torsion potentials on the melting properties of a hexane monolayer on a graphite substrate. A molecular dynamics simulation study
By G. H. Peters and E. Velasco 1039

NUMBER 6—20 APRIL 1995

Free energy and entropy production in planar Couette flow far from equilibrium
By M. Peric and G. P. Morriss 1049

An associative version of the Henderson–Abraham–Barker equation
By M. F. Holovko and E. V. Vakarin 1057

Translational absorption band in low density mixtures of noble gases: the He–Xe case
By P. Dore, L. Finzi, A. Nucara, P. Postorino and M. Rovere 1065

Implicit discretization schemes for Langevin dynamics
By G. Zhang and T. Schlick 1077

Model of adsorption at a fluid–fluid interface
By S. J. Bibb, J. S. Rowlinson and C. Xiao 1099

CONTENTS OF VOLUME 84

Chromium dihydride (CrH_2): theoretical evidence for a bent $^5B_2$ ground state
By B. J. DeLeeuw, Y. Yamaguchi and H. F. Schaefer III 1109

Resolution of the sign problem in quantum Monte Carlo simulations of annulenes
By J. Schütt, J. Schulte, M. C. Böhm and Z. G. Soos 1127

Water adsorption in microporous graphitic carbons
By D. E. Ulberg and K. E. Gubbins 1139

Counterpropagating molecular beam scattering of $NH_3 + nH_2$
By H. Meyer 1155

An analysis of the magnetizability tensor at CHF level
By M. J. Packer and B. T. Pickup 1179

A new twist to molecular chirality: intrinsic chirality indices
By M. A. Osipov, B. T. Pickup and D. A. Dunmur 1193

A molecular dynamics interpretation of the inelastic neutron spectra in the plastic phase of hexachloroethane
By A. Muñoz and A. Criado 1207

Local structure in anisotropic systems determined by molecular dynamics simulation. Application to a nematic liquid crystal
By A. V. Komolkin and A. Maliniak 1227

Vibrational averaging of electrical properties Development of a routine theoretical method for polyatomic molecules
By A. J. Russell and M. A. Spackman 1239

Hydrogen bond dynamics in tetrafluoroterephthalic acid studied by NMR and INS
By A. J. Horsewill, A. Ikram and I. B. I. Tomsah 1257

Research Note

On the use of a non-additive reference system in a reference hypernetted chain calculation of the structure of a binary liquid
By J. A. Anta and G. Kahl 1273